



ASSEMBLY INSTRUCTIONS

BRAAIBOX FREESTANDING CABINET

Suitable for the Jetmaster Entertainer range

TOOLS REQUIRED

- 8mm spanner x 2
- 10mm spanner x 2
- 13mm spanner x 2
- 3mm Allan key wrench
- 4mm Allan key wrench
- 3.5mm Flat screwdriver

Here's a clear breakdown of what's included in your assembly kit:

Door Magnets

- **4x** Door magnets

Bolts and Nuts for General Assembly

- **8x** M4 x 10mm stainless steel bolts
- **8x** M4 stainless steel nuts

Hinges

- **16x** M5 x 10mm stainless steel Allen buttonhead bolts
- **16x** M5 stainless steel nuts

External Bolts

- **16x** M6 x 16mm black buttonhead bolts
- **Anchor plates:** 8 bolts (no nuts required; ruff nuts are pre-installed)
- **Shelf:** 4 bolts with 4 M6 stainless steel nuts
- **Top:** 4 bolts (no nuts required; ruff nuts are pre-installed)

Body Assembly

- **42x** M6 x 20mm stainless steel hexagonal bolts
- **42x** M6 stainless steel nuts

- **2x** Door handles
- **4x** M4 x 10mm stainless steel flathead bolts

This kit provides everything needed for smooth assembly of the unit.

Important to note before starting with assembling the cabinet

It's advisable to install **step 11, 12 and 13** before assembling the rest of the cabinet

Assembly Instructions:

Step 1: Assemble the Base Panel

1. Position the **base panel** on the floor.
2. Attach the **bottom side panels** (left and right) to the base using the provided screws. Ensure the panels are aligned at 90°.

Step 2: Attach the Back Panel

1. Insert the **back panel** by aligning it with the side panels and securing it with screws.
2. Tighten the screws securely but avoid over-tightening to prevent stripping.

Step 3: Install the unit base panel

1. Position the **unit base panel so that it aligns with the side panels and** back panel.
2. Ensure it is flush and securely fastened to the pre-cut holes.

Step 4: Attach the Top Side Panels

1. Mount the **top side panels** to the frame, aligning them with the bottom panels.
2. Secure them using screws.

Step 5: Attach the Top Back Panel

1. Attach the **top back panel** to the top side panels.
2. Secure the panel by aligning the screws with the pre-drilled holes and tightening them.

Step 6: Insert the Braai

1. Once the cabinet is fully assembled, position the built-in braai inside the cabinet.
2. Ensure the braai is level and securely seated within the unit.

Step 7: Insert the Insulation

1. Place the ceramic insulation blanket on the sides, back and top front of the flue gather of the braai, inside the cabinet.

Step 8: Attach the Top Front Panel

1. Position the **top front panel** above the braai frame, ensuring the screws align with the pre-drilled holes.

Step 9: Attach the Top Cover Plate

1. Once the BraaiBox is fully assembled and all screws are fastened, position the **top cover plate** on the unit.
2. Ensure that the spigot of the unit aligns evenly with the panel spigot.

Step 10: Assemble the Cabinet Shelves

1. Align the **shelf panels** with the pre-drilled holes to install two even shelves.

Step 11: Install the Door Magnets

1. Secure the **door magnets** to ensure the cabinet doors close securely.

Step 12: Assemble the Cabinet Doors

1. Using the 4 hinges provided, attach the cabinet doors to the front of the cabinet, using the pre-drilled holes as a guide.
2. Install the **cabinet handles** on the doors.

Step 13: Install the Anchor Plates (if required)

1. If anchor plates are needed for added stability, install them according to the provided instructions.

Step 14 + 15: Install the Flue Pipe and Cowl

1. Place the **flue pipe** in position and secure it with pop rivets.
2. Attach the **storm cowl** using the same method.

Note: Where the braai frame and cabinet meet, seal with a high temperature grade silicone sealer to prevent water ingress.

Maintenance:

- Regularly check all screws and fasteners to ensure they remain secure.
- Clean the cabinet with a mild detergent and soft cloth. Avoid abrasive cleaners.
- Ensure the flue pipe is free from debris to maintain proper ventilation.

Warranty:

The **BraaiBox Cabinet** is backed by a 12-month warranty. This warranty covers manufacturing defects but does not include damage from improper assembly, misuse, or environmental exposure.

For assistance or inquiries, please contact our customer service team at

sales@jetmaster.com.au

1300 538 627

www.jetmaster.com.au